



Specifications for Size 0805 Resistors in Super SMT Resistor Kits

Basic Specification:

Tolerance	1%
Power Rating	1/8W
Operating Temperature Range	-55 ~ +155 °C

Below, Marking Legend is the value printed on the lid of the resistor kits, and corresponding resistance is shown in Resistance.

Resistance	Marking Legend	Temperature Coefficient	Brand	Manufacturer Datasheet
0.0Ω	0	0 ppm/ °C	Yageo	<a href="#">Datasheet</a>
0.10Ω	0R1	±800 ppm/ °C	Yageo	<a href="#">Datasheet</a>
0.50Ω	0R5	±800 ppm/ °C	Yageo	<a href="#">Datasheet</a>
1.00Ω	01Y 1R00	±200 ppm/ °C	Yageo	<a href="#">Datasheet</a>
1.50Ω	18Y 1R50	±200 ppm/ °C	Yageo	<a href="#">Datasheet</a>
2.00Ω	30Y 2R00	±200 ppm/ °C	Yageo	<a href="#">Datasheet</a>
2.49Ω	39Y 2R49	±200 ppm/ °C	Yageo	<a href="#">Datasheet</a>
3.01Ω	47Y 3R01	±200 ppm/ °C	Yageo	<a href="#">Datasheet</a>
4.02Ω	59Y 4R02	±200 ppm/ °C	Yageo	<a href="#">Datasheet</a>
4.99Ω	68Y 4R99	±200 ppm/ °C	Yageo	<a href="#">Datasheet</a>
5.90Ω	75Y 5R90	±200 ppm/ °C	Yageo	<a href="#">Datasheet</a>
6.81Ω	81Y 6R81	±200 ppm/ °C	Yageo	<a href="#">Datasheet</a>
7.50Ω	85Y 7R50	±200 ppm/ °C	Yageo	<a href="#">Datasheet</a>
8.25Ω	89Y 8R25	±200 ppm/ °C	Yageo	<a href="#">Datasheet</a>
9.09Ω	93Y 9R09	±200 ppm/ °C	Yageo	<a href="#">Datasheet</a>
10.0Ω	01X 10R0	±200 ppm/ °C	Yageo	<a href="#">Datasheet</a>
10.2Ω	02X 10R2	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
10.5Ω	03X 10R5	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
10.7Ω	04X 10R7	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
11.0Ω	05X 11R0	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
11.3Ω	06X 11R3	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
11.5Ω	07X 11R5	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
11.8Ω	08X 11R8	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>



Resistance	Marking Legend	Temperature Coefficient	Brand	Manufacturer Datasheet
12.1Ω	09X 12R1	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
12.4Ω	10X 12R4	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
12.7Ω	11X 12R7	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
13.0Ω	12X 13R0	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
13.3Ω	13X 13R3	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
13.7Ω	14X 13R7	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
14.0Ω	15X 14R0	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
14.3Ω	16X 14R3	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
14.7Ω	17X 14R7	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
15.0Ω	18X 15R0	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
15.4Ω	19X 15R4	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
15.8Ω	20X 15R8	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
16.2Ω	21X 16R2	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
16.5Ω	22X 16R5	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
16.9Ω	23X 16R9	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
17.4Ω	24X 17R4	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
17.8Ω	25X 17R8	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
18.2Ω	26X 18R2	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
18.7Ω	27X 18R7	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
19.1Ω	28X 19R1	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
19.6Ω	29X 19R6	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
20.0Ω	30X 20R0	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
20.5Ω	31X 20R5	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
21.0Ω	32X 21R0	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
21.5Ω	33X 21R5	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
22.1Ω	34X 22R1	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
22.6Ω	35X 22R6	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>



Resistance	Marking Legend	Temperature Coefficient	Brand	Manufacturer Datasheet
23.2Ω	36X 23R2	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
23.7Ω	37X 23R7	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
24.3Ω	38X 24R3	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
24.9Ω	39X 24R9	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
25.5Ω	40X 25R5	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
26.1Ω	41X 26R1	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
26.7Ω	42X 26R7	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
27.4Ω	43X 27R4	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
28.0Ω	44X 28R0	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
28.7Ω	45X 28R7	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
29.4Ω	46X 29R4	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
30.1Ω	47X 30R1	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
30.9Ω	48X 30R9	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
31.6Ω	49X 31R6	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
32.4Ω	50X 32R4	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
33.2Ω	51X 33R2	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
34.0Ω	52X 34R0	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
34.8Ω	53X 34R8	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
35.7Ω	54X 35R7	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
36.5Ω	55X 36R5	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
37.4Ω	56X 37R4	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
38.3Ω	57X 38R3	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
39.2Ω	58X 39R2	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
40.2Ω	59X 40R2	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
41.2Ω	60X 41R2	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
42.2Ω	61X 42R2	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
43.2Ω	62X 43R2	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>



Resistance	Marking Legend	Temperature Coefficient	Brand	Manufacturer Datasheet
44.2Ω	63X 44R2	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
45.3Ω	64X 45R3	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
46.4Ω	65X 46R4	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
47.5Ω	66X 47R5	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
48.7Ω	67X 48R7	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
49.9Ω	68X 49R9	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
51.1Ω	69X 51R1	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
52.3Ω	70X 52R3	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
53.6Ω	71X 53R6	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
54.9Ω	72X 54R9	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
56.2Ω	73X 56R2	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
57.6Ω	74X 57R6	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
59.0Ω	75X 59R0	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
60.4Ω	76X 60R4	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
61.9Ω	77X 61R9	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
63.4Ω	78X 63R4	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
64.9Ω	79X 64R9	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
66.5Ω	80X 66R5	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
68.1Ω	81X 68R1	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
69.8Ω	82X 69R8	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
71.5Ω	83X 71R5	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
73.2Ω	84X 73R2	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
75.0Ω	85X 75R0	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
76.8Ω	86X 76R8	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
78.7Ω	87X 78R7	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
80.6Ω	88X 80R6	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
82.5Ω	89X 82R5	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>



Resistance	Marking Legend	Temperature Coefficient	Brand	Manufacturer Datasheet
84.5Ω	90X 84R5	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
86.6Ω	91X 86R6	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
88.7Ω	92X 88R7	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
90.9Ω	93X 90R9	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
93.1Ω	94X 93R1	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
95.3Ω	95X 95R3	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
97.6Ω	96X 97R6	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
100Ω	01A 1000	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
102Ω	02A 1020	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
105Ω	03A 1050	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
107Ω	04A 1070	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
110Ω	05A 1100	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
113Ω	06A 1130	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
115Ω	07A 1150	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
118Ω	08A 1180	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
121Ω	09A 1210	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
124Ω	10A 1240	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
127Ω	11A 1270	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
130Ω	12A 1300	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
133Ω	13A 1330	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
137Ω	14A 1370	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
140Ω	15A 1400	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
143Ω	16A 1430	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
147Ω	17A 1470	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
150Ω	18A 1500	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
154Ω	19A 1540	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
158Ω	20A 1580	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>



Resistance	Marking Legend	Temperature Coefficient	Brand	Manufacturer Datasheet
162Ω	21A 1620	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
165Ω	22A 1650	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
169Ω	23A 1690	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
174Ω	24A 1740	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
178Ω	25A 1780	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
182Ω	26A 1820	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
187Ω	27A 1870	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
191Ω	28A 1910	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
196Ω	29A 1960	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
200Ω	30A 2000	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
205Ω	31A 2050	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
210Ω	32A 2100	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
215Ω	33A 2150	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
221Ω	34A 2210	±100 ppm/ °C	YAGEO	<a href="#">Datasheet</a>
226Ω	35A 2260	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
232Ω	36A 2320	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
237Ω	37A 2370	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
243Ω	38A 2430	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
249Ω	39A 2490	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
255Ω	40A 2550	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
261Ω	41A 2610	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
267Ω	42A 2670	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
274Ω	43A 2740	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
280Ω	44A 2800	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
287Ω	45A 2870	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
294Ω	46A 2940	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
301Ω	47A 3010	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>



Resistance	Marking Legend	Temperature Coefficient	Brand	Manufacturer Datasheet
309Ω	48A 3090	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
316Ω	49A 3160	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
324Ω	50A 3240	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
332Ω	51A 3320	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
340Ω	52A 3400	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
348Ω	53A 3480	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
357Ω	54A 3570	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
365Ω	55A 3650	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
374Ω	56A 3740	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
383Ω	57A 3830	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
392Ω	58A 3920	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
402Ω	59A 4020	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
412Ω	60A 4120	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
422Ω	61A 4220	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
432Ω	62A 4320	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
442Ω	63A 4420	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
453Ω	64A 4530	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
464Ω	65A 4640	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
475Ω	66A 4750	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
487Ω	67A 4870	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
499Ω	68A 4990	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
511Ω	69A 5110	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
523Ω	70A 5230	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
536Ω	71A 5360	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
549Ω	72A 5490	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
562Ω	73A 5620	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
576Ω	74A 5760	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>



Resistance	Marking Legend	Temperature Coefficient	Brand	Manufacturer Datasheet
590Ω	75A 5900	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
604Ω	76A 6040	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
619Ω	77A 6190	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
634Ω	78A 6340	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
649Ω	79A 6490	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
665Ω	80A 6650	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
681Ω	81A 6810	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
698Ω	82A 6980	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
715Ω	83A 7150	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
732Ω	84A 7320	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
750Ω	85A 7500	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
768Ω	86A 7680	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
787Ω	87A 7870	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
806Ω	88A 8060	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
825Ω	89A 8250	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
845Ω	90A 8450	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
866Ω	91A 8660	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
887Ω	92A 8870	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
909Ω	93A 9090	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
931Ω	94A 9310	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
953Ω	95A 9530	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
976Ω	96A 9760	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
1.00K	01B 1001	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
1.02K	02B 1021	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
1.05K	03B 1051	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
1.07K	04B 1070	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
1.10K	05B 1101	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>





Resistance	Marking Legend	Temperature Coefficient	Brand	Manufacturer Datasheet
1.13K	06B 1131	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
1.15K	07B 1151	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
1.18K	08B 1181	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
1.21K	09B 1211	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
1.24K	10B 1241	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
1.27K	11B 1271	±100 ppm/ °C	YAGEO	<a href="#">Datasheet</a>
1.30K	12B 1301	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
1.33K	13B 1331	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
1.37K	14B 1371	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
1.40K	15B 1401	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
1.43K	16B 1431	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
1.47K	17B 1471	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
1.50K	18B 1501	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
1.54K	19B 1541	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
1.58K	20B 1581	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
1.62K	21B 1621	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
1.65K	22B 1651	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
1.69K	23B 1691	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
1.74K	24B 1741	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
1.78K	25B 1781	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
1.82K	26B 1821	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
1.87K	27B 1871	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
1.91K	28B 1911	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
1.96K	29B 1961	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
2.00K	30B 2001	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
2.05K	31B 2051	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
2.10K	32B 2101	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>



Resistance	Marking Legend	Temperature Coefficient	Brand	Manufacturer Datasheet
2.15K	33B 2151	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
2.21K	34B 2211	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
2.26K	35B 2261	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
2.32K	36B 2321	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
2.37K	37B 2371	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
2.43K	38B 2431	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
2.49K	39B 2491	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
2.55K	40B 2551	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
2.61K	41B 2611	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
2.67K	42B 2671	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
2.74K	43B 2741	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
2.80K	44B 2801	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
2.87K	45B 2871	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
2.94K	46B 2941	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
3.01K	47B 3011	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
3.09K	48B 3091	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
3.16K	49B 3161	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
3.24K	50B 3241	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
3.32K	51B 3321	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
3.40K	52B 3401	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
3.48K	53B 3481	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
3.57K	54B 3571	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
3.65K	55B 3651	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
3.74K	56B 3741	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
3.83K	57B 3831	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
3.92K	58B 3921	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
4.02K	59B 4021	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>



Resistance	Marking Legend	Temperature Coefficient	Brand	Manufacturer Datasheet
4.12K	60B 4121	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
4.22K	61B 4221	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
4.32K	62B 4321	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
4.42K	63B 4421	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
4.53K	64B 4531	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
4.64K	65B 4641	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
4.75K	66B 4751	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
4.87K	67B 4871	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
4.99K	68B 4991	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
5.11K	69B 5111	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
5.23K	70B 5231	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
5.36K	71B 5361	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
5.49K	72B 5491	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
5.62K	73B 5621	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
5.76K	74B 5761	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
5.90K	75B 5901	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
6.04K	76B 6041	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
6.19K	77B 6191	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
6.34K	78B 6341	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
6.49K	79B 6491	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
6.65K	80B 6651	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
6.81K	81B 6811	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
6.98K	82B 6981	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
7.15K	83B 7151	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
7.32K	84B 7321	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
7.50K	85B 7501	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
7.68K	86B 7681	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>



Resistance	Marking Legend	Temperature Coefficient	Brand	Manufacturer Datasheet
7.87K	87B 7871	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
8.06K	88B 8061	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
8.25K	89B 8251	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
8.45K	90B 9451	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
8.66K	91B 8661	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
8.87K	92B 8871	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
9.09K	93B 9091	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
9.31K	94B 9311	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
9.53K	95B 9531	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
9.76K	96B 9761	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
10.0K	01C 1002	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
10.2K	02C 1022	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
10.5K	03C 1052	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
10.7K	04C 1072	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
11.0K	05C 1102	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
11.3K	06C 1132	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
11.5K	07C 1152	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
11.8K	08C 1182	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
12.1K	09C 1212	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
12.4K	10C 1242	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
12.7K	11C 1272	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
13.0K	12C 1302	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
13.3K	13C 1332	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
13.7K	14C 1372	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
14.0K	15C 1402	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
14.3K	16C 1432	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
14.7K	17C 1472	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>



Resistance	Marking Legend	Temperature Coefficient	Brand	Manufacturer Datasheet
15.0K	18C 1502	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
15.4K	19C 1542	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
15.8K	20C 1582	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
16.2K	21C 1622	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
16.5K	22C 1652	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
16.9K	23C 1692	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
17.4K	24C 1742	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
17.8K	25C 1782	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
18.2K	26C 1822	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
18.7K	27C 1872	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
19.1K	28C 1912	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
19.6K	29C 1962	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
20.0K	30C 2002	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
20.5K	31C 2052	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
21.0K	32C 2102	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
21.5K	33C 2152	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
22.1K	34C 2212	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
22.6K	35C 2262	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
23.2K	36C 2322	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
23.7K	37C 2372	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
24.3K	38C 2432	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
24.9K	39C 2492	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
25.5K	40C 2552	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
26.1K	41C 2612	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
26.7K	42C 2672	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
27.4K	43C 2742	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
28.0K	44C 2802	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>



Resistance	Marking Legend	Temperature Coefficient	Brand	Manufacturer Datasheet
28.7K	45C 2872	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
29.4K	46C 2942	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
30.1K	47C 3012	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
30.9K	48C 3092	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
31.6K	49C 3162	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
32.4K	50C 3242	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
33.2K	51C 3322	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
34.0K	52C 3402	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
34.8K	53C 3482	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
35.7K	54C 3572	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
36.5K	55C 3652	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
37.4K	56C 3742	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
38.3K	57C 3832	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
39.2K	58C 3922	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
40.2K	59C 4022	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
41.2K	60C 4122	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
42.2K	61C 4222	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
43.2K	62C 4322	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
44.2K	63C 4422	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
45.3K	64C 4532	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
46.4K	65C 4642	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
47.5K	66C 4752	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
48.7K	67C 4872	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
49.9K	68C 4992	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
51.1K	69C 5112	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
52.3K	70C 5232	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
53.6K	71C 5362	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>



Resistance	Marking Legend	Temperature Coefficient	Brand	Manufacturer Datasheet
54.9K	72C 5492	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
56.2K	73C 5622	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
57.6K	74C 5762	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
59.0K	75C 5902	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
60.4K	76C 6042	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
61.9K	77C 6192	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
63.4K	78C 6342	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
64.9K	79C 6492	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
66.5K	80C 6652	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
68.1K	81C 6812	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
69.8K	82C 6982	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
71.5K	83C 7152	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
73.2K	84C 7322	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
75.0K	85C 7502	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
76.8K	86C 7682	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
78.7K	87C 7872	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
80.6K	88C 8062	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
82.5K	89C 8252	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
84.5K	90C 8452	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
86.6K	91C 8662	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
88.7K	92C 8872	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
90.9K	93C 9092	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
93.1K	94C 9312	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
95.3K	95C 9532	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
97.6K	96C 9762	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
100K	01D 1003	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
102K	02D 1023	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>



Resistance	Marking Legend	Temperature Coefficient	Brand	Manufacturer Datasheet
105K	03D 1053	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
107K	04D 1073	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
110K	05D 1103	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
113K	06D 1133	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
115K	07D 1153	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
118K	08D 1183	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
121K	09D 1213	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
124K	10D 1243	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
127K	11D 1273	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
130K	12D 1303	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
133K	13D 1333	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
137K	14D 1373	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
140K	15D 1403	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
143K	16D 1433	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
147K	17D 1473	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
150K	18D 1503	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
154K	19D 1543	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
158K	20D 1583	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
162K	21D 1623	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
165K	22D 1653	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
169K	23D 1693	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
174K	24D 1743	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
178K	25D 1783	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
182K	26D 1823	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
187K	27D 1873	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
191K	28D 1913	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
196K	29D 1963	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>





Resistance	Marking Legend	Temperature Coefficient	Brand	Manufacturer Datasheet
200K	30D 2003	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
205K	31D 2053	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
210K	32D 2103	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
215K	33D 2153	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
221K	34D 2213	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
226K	35D 2263	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
232K	36D 2323	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
237K	37D 2373	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
243K	38D 2433	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
249K	39D 2493	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
255K	40D 2553	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
261K	41D 2613	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
267K	42D 2673	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
274K	43D 2743	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
280K	44D 2803	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
287K	45D 2873	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
294K	46D 2943	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
301K	47D 3013	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
309K	48D 3093	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
316K	49D 3163	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
324K	50D 3243	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
332K	51D 3323	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
340K	52D 3403	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
348K	53D 3483	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
357K	54D 3573	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
365K	55D 3653	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
374K	56D 3743	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>



Resistance	Marking Legend	Temperature Coefficient	Brand	Manufacturer Datasheet
383K	57D 3833	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
392K	58D 3923	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
402K	59D 4023	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
412K	60D 4123	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
422K	61D 4223	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
432K	62D 4323	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
442K	63D 4423	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
453K	64D 4533	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
464K	65D 4643	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
475K	66D 4753	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
487K	67D 4873	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
499K	68D 4993	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
511K	69D 5113	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
523K	70D 5233	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
536K	71D 5363	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
549K	72D 5493	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
562K	73D 5623	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
576K	74D 5763	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
590K	75D 5903	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
604K	76D 6043	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
619K	77D 6193	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
634K	78D 6343	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
649K	79D 6493	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
665K	80D 6653	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
681K	81D 6813	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
698K	82D 6983	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
715K	83D 7153	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>



Resistance	Marking Legend	Temperature Coefficient	Brand	Manufacturer Datasheet
732K	84D 7323	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
750K	85D 7503	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
768K	86D 7683	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
787K	87D 7873	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
806K	88D 8063	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
825K	89D 8253	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
845K	90D 8453	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
866K	91D 8663	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
887K	92D 8873	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
909K	93D 9093	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
931K	94D 9313	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
953K	95D 9533	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
976K	96D 9763	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
1.0M	01E 1004	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
1.5M	18E 1504	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
2.0M	30E 2004	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
2.49M	39E 2494	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
3.01M	47E 3014	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
4.02M	59E 4024	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
4.99M	68E 4994	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
5.90M	75E 5904	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
6.81M	81E 6814	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
7.50M	85E 7504	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
8.25M	89E 8254	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
9.09M	93E 9094	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
10.0M	01F 1005	±100 ppm/ °C	Yageo	<a href="#">Datasheet</a>
15M	18F 1505	±200 ppm/ °C	Yageo	<a href="#">Datasheet</a>
20M	30F 2005	±200 ppm/ °C	Yageo	<a href="#">Datasheet</a>